

Carpenter's Squares

Stainless Steel Rules/
Machine Scale

Aluminum Rules

Resin Rules/
Bamboo RulesSquares/
ProtractorsVernier Calipers/
Micrometers

Tape Measures

Surveying Products

Scales

Levels

Lasers/
Optical EquipmentInclinometers/
Plumbholders

Circular Saw Guides

Construction Tools

Industrial Tools

Thermometers/
Hygrometers/
Environmental Testing Instruments


Outdoor Products

Magnifying Glasses

Drawing Tools

Magnets

Radius Gauge



73767



73768



Concave



Convex

Item Code	Description	Body Size (mm)	Weight (g)	JAN Code	Packing Unit	Packaging
73767	A R 1 - 7 34 Leaves	70x14x13	65	4 960910 737679	10	SP
73768	B R 7.5 - 15 32 Leaves	85x14x20	115	4 960910 737686		

Features

- Radius measuring is possible with two types of leaves, concave and convex
- Leaves can be removed by removing the stopper screw
- Comes with portable vinyl case



Use

- For measuring curves (inside and outside)

Specifications

Item Code	73767	73768
Measuring Range	1.0 - 7.0 mm	7.5 - 15.0 mm
Accuracy	±0.05 mm	
Leaf Thickness	0.5 mm	
Radius Dimension (mm)	1.0 1.25 1.5 1.75 2.0 2.25 2.5 2.75 3.0 3.5 4.0 4.5 5.0 5.5 6.0 6.5 7.0	7.5 8.0 8.5 9.0 9.5 10.0 10.5 11.0 11.5 12.0 12.5 13.0 13.5 14.0 14.5 15.0
Material	Cold rolled steel	

Pitch Gauge



73794




73795

For inch

16 threads
screw per 1 inch

For metric

1.0 mm pitch
screw

Item Code	Description	Body Size (mm)	Weight (g)	JAN Code	Packing Unit	Packaging
73794	A-2 for Inch Screw Thread 26 Leaves	68x18x15	42	4 960910 737945	10	SP
73795	B-2 for Metric Screw Thread 28 Leaves	68x18x15	44	4 960910 737952		

Features

- Finds pitch by aligning to screw thread
- Comes with portable plastic case

Use


- For pitch measurement of general screws

Inch	Indicates the number of threads per 1 inch on leaf	4 - 60
Metric	Indicates pitch in between two threads on leaf	0.25 - 2.5 mm

Specifications

Item Code	73794	73795
Angle	55° (for whitworth screw thread)	60°
Leaf	26 leaves (Number of threads per 1 inch) 4, 4 1/2, 5, 6, 7, 8, 9 10, 11, 12, 13, 14, 16 18, 19, 20, 22, 24, 25 26, 28, 30, 32, 40, 48 60	28 leaves (mm) 0.25, 0.3, 0.35, 0.4 0.45, 0.5, 0.55, 0.6 0.65, 0.7, 0.75, 0.8 0.85, 0.9, 1.0, 1.1, 1.2 1.25, 1.3, 1.4, 1.5, 1.6 1.7, 1.75, 1.8, 1.9, 2.0 2.5
Material	Leaf: Carbon tool steel	

Taper Gauge ABS Resin



32746

●Easy-to-grab pickup structure



Features

- ABS resin construction to prevent scratches
- Snap off to measure shallow gaps
- *Cannot be restored after snapping.



●Laser-engraved graduations for durability

Use

- For measurement of inner diameter or dimension of gap



- For work such as automobile inspections that must not damage painted surfaces

Specifications

Measuring Range	1 - 15 mm
Accuracy	±0.2 mm
Material	ABS resin

NEW New catalog items EN English package RD With red numbers JP Japanese zodiac signs CM cm/shaku (Upper side (or Front) metric/
Lower side (or Back) shaku) SH shaku/cm (Upper side (or Front) shaku/
Lower side (or Back) metric) W With magnet

NS With non-slip pad WB With battery LI Lithium-ion battery (LHON) VS Vial with luminous sheet SG With groove for slider JC Optional JCSS certificate GC Optional general calibration certificate